


Analiza visokih vod - Log Pearson

Podatki v racunu :

1958	66.60	1959	40.20	1960	57.20	1961	56.80
1962	57.26	1963	34.80	1964	48.20	1965	95.60
1966	66.60	1967	61.60	1968	80.80	1969	35.20
1970	25.60	1971	20.40	1972	50.30	1973	77.00
1974	35.10	1975	59.40	1976	41.10	1977	66.50
1978	37.40	1979	93.10	1980	88.40	1981	66.70
1982	109.00	1983	62.80	1984	86.80	1985	42.60
1986	133.00	1987	49.40	1988	86.70	1989	82.80
1990	76.70	1991	45.70	1992	82.80	1993	68.53
1994	57.51	1995	45.84	1996	68.67	1997	41.55
1998	76.24	1999	100.05	2000	60.50	2001	33.60
2002	47.04	2003	115.22	2004	56.02	2005	31.16
2006	34.51	2007	154.82	2009	86.76	2010	97.70
2011	36.95	2012	68.31				

Srednja vrednost pretokov Qsr= 64.84 LOG Qsr= 4.0858
 St. deviacija za LOG S= 0.424108 KOEF Cv= 0.10283
 Koef. asimetrije za LOG Psi= -0.15627 KOEF Cs=-0.15190
 Koeficient skladanja po Gringortenu = 0.9081473

Pov. doba	5%conf. limit	pretok	95%conf. limit
2.00	0.00	60.15	0.00
2.50	74.71	66.92	60.30
5.00	96.39	85.25	76.83
10.00	117.32	101.67	90.61
20.00	137.97	117.22	103.19
25.00	144.60	122.12	107.09
40.00	158.60	132.31	115.10
50.00	165.29	137.12	118.84
100.00	186.18	151.93	130.22
200.00	207.37	166.66	141.36
500.00	235.92	186.11	155.84
1000.00	257.94	200.83	166.65
2000.00	280.43	215.66	177.42
5000.00	310.72	235.37	191.59
10000.00	334.17	250.34	202.19




Analiza visokih vod - Log Pearson

Podatki v racunu :

1958	66.60	1959	40.20	1960	57.20	1961	56.80
1962	57.26	1963	34.80	1964	48.20	1965	95.60
1966	66.60	1967	61.60	1968	80.80	1969	35.20
1970	25.60	1971	20.40	1972	50.30	1973	77.00
1974	35.10	1975	59.40	1976	41.10	1977	66.50
1978	37.40	1979	93.10	1980	88.40	1981	66.70
1982	109.00	1983	62.80	1984	86.80	1985	42.60
1986	133.00	1987	49.40	1988	86.70	1989	82.80
1990	76.70	1991	45.70	1992	82.80	1993	68.53
1994	57.51	1995	45.84	1996	68.67	1997	41.55
1998	76.24	1999	100.05	2000	60.50	2001	33.60
2002	47.04	2003	115.22	2004	56.02	2005	31.16
2006	34.51	2007	154.82	2009	86.76	2010	97.70
2011	36.95						

Srednja vrednost pretokov Qsr= 64.77 LOG Qsr= 4.0832
 St. deviacija za LOG S= 0.427729 KOEF Cv= 0.10376
 Koef. asimetrije za LOG Psi= -0.13704 KOEF Cs=-0.13313
 Koeficient skladanja po Gringortenu = 0.9104419

Pov. doba	5%conf. limit	pretok	95%conf. limit
2.00	0.00	59.92	0.00
2.50	74.57	66.73	60.09
5.00	96.62	85.26	76.71
10.00	118.03	101.97	90.68
20.00	139.28	117.88	103.50
25.00	146.12	122.91	107.48
40.00	160.63	133.41	115.69
50.00	167.57	138.36	119.53
100.00	189.34	153.68	131.24
200.00	211.52	168.98	142.76
500.00	241.61	189.31	157.79
1000.00	264.90	204.74	169.05
2000.00	288.87	220.39	180.34
5000.00	320.51	240.78	194.91
10000.00	343.87	255.56	205.32




Analiza visokih vod - Log Pearson

Podatki v racunu :

1958	66.60	1959	40.20	1960	57.20	1961	56.80
1962	57.26	1963	34.80	1964	48.20	1965	95.60
1966	66.60	1967	61.60	1968	80.80	1969	35.20
1970	25.60	1971	20.40	1972	50.30	1973	77.00
1974	35.10	1975	59.40	1976	41.10	1977	66.50
1978	37.40	1979	93.10	1980	88.40	1981	66.70
1982	109.00	1983	62.80	1984	86.80	1985	42.60
1986	133.00	1987	49.40	1988	86.70	1989	82.80
1990	76.70	1991	45.70	1992	82.80	1993	68.53
1994	57.51	1995	45.84	1996	68.67	1997	41.55
1998	76.24	1999	100.05	2000	60.50	2001	33.60
2002	47.04	2003	115.22	2004	56.02	2005	31.16
2006	34.51	2007	154.82				

Srednja vrednost pretokov Qsr= 64.23 LOG Qsr= 4.0751
 St. deviacija za LOG S= 0.426014 KOEF Cv= 0.10349
 Koef. asimetrije za LOG Psi= -0.10809 KOEF Cs=-0.10482
 Koeficient skladanja po Gringortenu = 0.9185436

Pov. doba	5%conf. limit	pretok	95%conf. limit
2.00	0.00	59.31	0.00
2.50	73.88	66.03	59.41
5.00	95.98	84.41	75.77
10.00	117.56	101.08	89.61
20.00	139.11	117.04	102.38
25.00	146.09	122.10	106.36
40.00	160.92	132.69	114.58
50.00	168.03	137.71	118.43
100.00	190.45	153.27	130.22
200.00	213.38	168.84	141.83
500.00	244.78	189.71	157.12
1000.00	269.28	205.67	168.63
2000.00	293.77	221.38	179.84
5000.00	328.88	243.54	195.47
10000.00	353.65	258.90	206.15




Analiza visokih vod - Log Pearson

Podatki v racunu :

1926	84.00	1927	94.00	1928	66.40	1929	36.20
1930	57.40	1931	105.00	1932	24.80	1933	75.00
1934	105.00	1935	44.00	1936	58.20	1937	32.00
1938	130.00	1939	32.00	1940	43.10	1941	14.80
1942	18.80	1943	26.40	1944	29.70	1945	37.80
1946	32.00	1947	50.40	1948	58.20		

Srednja vrednost pretokov Qsr= 54.57 LOG Qsr= 3.8448
 St. deviacija za LOG S= 0.576667 KOEF Cv= 0.14669
 Koef. asimetrije za LOG Psi= -0.03963 KOEF Cs=-0.03700
 Koeficient skladanja po Gringortenu = 0.9018085

Pov. doba	5%conf. limit	pretok	95%conf. limit
2.00	0.00	46.93	0.00
2.50	67.85	54.30	44.31
5.00	99.93	76.04	61.66
10.00	135.76	97.65	77.34
20.00	175.80	119.92	92.53
25.00	189.63	127.29	97.41
40.00	220.41	143.19	107.70
50.00	235.82	150.93	112.62
100.00	287.12	175.83	128.06
200.00	343.88	202.09	143.85
500.00	427.92	239.07	165.38
1000.00	497.81	268.47	182.00
2000.00	576.50	300.33	199.59
5000.00	684.85	342.68	222.54
10000.00	785.16	380.13	242.12




Analiza visokih vod - Log Pearson

Podatki v racunu :

1948	142.00	1949	107.00	1950	81.30	1951	130.00
1952	29.80	1953	32.40	1954	113.00	1955	41.10
1956	67.80	1957	50.40	1958	167.00	1959	57.30
1960	130.00	1961	77.20	1962	96.00	1963	49.50
1964	69.40	1965	145.00	1966	118.00		

Srednja vrednost pretokov Qsr= 89.69 LOG Qsr= 4.3779
 St. deviacija za LOG S= 0.523025 KOEF Cv= 0.11628
 Koef. asimetrije za LOG Psi= -0.44831 KOEF Cs=-0.41211
 Koeficient skladanja po Gringortenu = 0.9055750

Pov. doba	5%conf. limit	pretok	95%conf. limit
2.00	0.00	82.84	0.00
2.50	124.44	94.22	73.30
5.00	165.51	124.66	100.97
10.00	209.08	151.13	121.20
20.00	252.30	175.32	138.47
25.00	266.09	182.75	143.63
40.00	295.04	197.94	153.93
50.00	308.70	204.94	158.61
100.00	350.85	225.97	172.38
200.00	392.51	246.04	185.20
500.00	446.71	271.24	200.94
1000.00	487.34	289.56	212.13
2000.00	527.41	307.20	222.76
5000.00	578.27	329.16	235.88
10000.00	617.44	345.55	245.40




Analiza visokih vod - Log Pearson

Podatki v racunu :

1978	47.10	1979	90.70	1980	59.90	1981	55.30
1982	69.50	1983	55.50	1984	70.40	1985	43.20
1986	71.10	1987	44.80	1988	64.40		

Srednja vrednost pretokov $Q_{sr} = 61.08$ $\text{LOG } Q_{sr} = 4.0886$
 St. deviacija za LOG $S = 0.227145$ $\text{KOEf } C_v = 0.05297$
 Koef. asimetrije za LOG $\text{Psi} = 0.17095$ $\text{KOEf } C_s = 0.14670$
 Koeficient skladanja po Gringortenu = 0.8712708

Pov. doba	5%conf. limit	pretok	95%conf. limit
2.00	0.00	59.27	0.00
2.50	56.69	62.80	70.71
5.00	64.27	72.07	85.74
10.00	70.40	80.12	99.98
20.00	75.76	87.61	114.25
25.00	77.38	89.95	118.89
40.00	80.68	94.81	128.77
50.00	82.20	97.09	133.52
100.00	86.79	104.10	148.59
200.00	91.23	111.06	164.18
500.00	96.94	120.25	185.70
1000.00	101.16	127.20	202.62
2000.00	105.40	134.30	220.53
5000.00	110.90	143.65	244.86
10000.00	114.77	150.39	263.08




Analiza visokih vod - Log Pearson

Podatki v racunu :

1957	99.00	1958	78.40	1959	23.50	1960	50.70
1961	29.10	1962	43.70	1963	18.00	1964	31.40
1965	43.70						

Srednja vrednost pretokov $Q_{sr} = 46.39$ $LOG Q_{sr} = 3.7003$
 St. deviacija za LOG $S = 0.550582$ $KOEF C_v = 0.14029$
 Koef. asimetrije za LOG $Psi = 0.26461$ $KOEF C_s = 0.21829$
 Koeficient skladanja po Gringortenu = 0.8957305

Pov. doba	5%conf. limit	pretok	95%conf. limit
2.00	0.00	39.49	0.00
2.50	35.09	45.45	61.71
5.00	47.11	63.76	103.82
10.00	58.89	83.07	156.97
20.00	70.54	104.10	225.60
25.00	74.35	111.32	251.50
40.00	82.48	127.31	313.17
50.00	86.41	135.30	346.05
100.00	99.00	161.92	465.36
200.00	112.24	191.47	614.46
500.00	130.89	235.57	867.70
1000.00	146.04	273.39	1112.73
2000.00	162.01	314.98	1410.35
5000.00	184.99	377.42	1908.74
10000.00	202.20	426.72	2346.45




Analiza visokih vod - Log Pearson

Podatki v racunu :

1953	16.00	1954	30.00	1955	17.30	1956	39.80
1957	18.70	1958	102.00	1959	27.80	1960	74.30
1961	52.00	1962	37.80	1963	27.80	1964	56.80
1965	65.80	1966	99.50	1967	90.00	1968	60.40
1969	53.40	1970	13.20	1971	13.20	1972	61.00
1973	37.20	1974	17.60	1975	32.00	1976	29.40
1977	36.80	1978	53.20	1979	53.20	1980	29.50
1981	32.20	1982	62.60				

Srednja vrednost pretokov Qsr= 44.68 LOG Qsr= 3.6452
 St. deviacija za LOG S= 0.582050 KOEF Cv= 0.15699
 Koef. asimetrije za LOG Psi= -0.21553 KOEF Cs=-0.20460
 Koeficient skladanja po Gringortenu = 0.9252477

Pov. doba	5%conf. limit	pretok	95%conf. limit
2.00	0.00	39.10	0.00
2.50	56.04	45.24	37.12
5.00	79.60	62.82	52.03
10.00	104.93	79.56	64.78
20.00	131.75	96.13	76.74
25.00	140.70	101.47	80.50
40.00	160.11	112.79	88.30
50.00	169.57	118.19	91.97
100.00	200.09	135.16	103.28
200.00	232.23	152.42	114.51
500.00	277.27	175.75	129.29
1000.00	313.30	193.81	140.48
2000.00	351.04	212.25	151.71
5000.00	403.30	237.15	166.66
10000.00	444.13	256.03	177.71



Analiza visokih vod - Log Pearson

Podatki v racunu :

1965	50.90	1966	35.30	1967	47.10	1968	24.70
1969	25.70	1970	16.10	1971	13.30	1972	18.40
1973	48.60	1974	59.20	1975	30.50	1976	19.60
1977	19.60	1978	16.20	1979	19.30	1980	10.60
1981	13.40	1982	17.20	1983	15.50	1984	21.00
1985	14.50	1986	19.30				

Srednja vrednost pretokov $Q_{sr} = 25.27$ $LOG Q_{sr} = 3.1081$
 St. deviacija za LOG $S = 0.484431$ $KOEF C_v = 0.15228$
 Koef. asimetrije za LOG $Psi = 0.71505$ $KOEF C_s = 0.66534$
 Koeficient skladanja po Gringortenu = 0.8561787

Pov. doba	5%conf. limit	pretok	95%conf. limit
2.00	0.00	21.13	0.00
2.50	21.81	23.91	26.44
5.00	27.72	32.79	40.88
10.00	34.66	42.69	57.48
20.00	42.22	54.09	78.23
25.00	44.82	58.13	85.97
40.00	50.60	67.33	104.25
50.00	53.49	72.04	113.96
100.00	63.17	88.29	149.04
200.00	74.06	107.32	192.97
500.00	90.53	137.48	268.02
1000.00	104.81	164.78	340.95
2000.00	120.60	196.04	429.53
5000.00	145.34	246.99	584.01
10000.00	165.57	290.51	725.26

