


Analiza visokih vod - Log Pearson

Podatki v racunu :

1959	24.20	1960	29.30	1961	37.60	1962	20.40
1964	44.40	1965	29.10	1966	33.50	1967	23.00
1968	27.00	1969	25.50	1970	25.50	1971	7.80
1972	21.00	1973	44.70	1974	15.10	1975	36.40
1976	17.10	1977	15.30	1978	10.70	1979	37.10
1980	25.80	1981	12.90	1982	28.40		

Srednja vrednost pretokov Qsr= 25.73 LOG Qsr= 3.1610
 St. deviacija za LOG S= 0.449539 KOEF Cv= 0.13909
 Koef. asimetrije za LOG Psi= -0.77657 KOEF Cs=-0.72498
 Koeficient skladanja po Gringortenu = 0.8821924

Pov. doba	5%conf. limit	pretok	95%conf. limit
2.00	0.00	24.99	0.00
2.50	35.53	27.81	22.25
5.00	43.04	34.67	29.37
10.00	50.51	39.92	33.80
20.00	57.04	44.20	37.19
25.00	58.96	45.43	38.14
40.00	62.77	47.81	39.95
50.00	64.47	48.86	40.74
100.00	69.33	51.81	42.92
200.00	73.63	54.37	44.79
500.00	78.61	57.29	46.89
1000.00	81.88	59.17	48.23
2000.00	84.84	60.86	49.42
5000.00	88.17	62.75	50.77
10000.00	90.53	64.07	51.67




Analiza visokih vod - Log Pearson

Podatki v racunu :

1970	34.00	1971	9.68	1972	31.00	1973	37.90
1974	18.40	1975	37.00	1976	26.10	1977	21.10
1978	17.80	1979	30.10	1980	35.60	1981	22.70
1982	30.60	1983	25.20	1984	24.10	1985	18.50
1986	30.90	1987	24.10	1988	23.60	1989	24.20
1990	34.40	1991	25.80	1992	51.60	1993	30.90
1994	14.18	1995	20.67	1996	22.53	1997	31.02
1998	35.53	1999	22.17	2000	43.90	2001	24.15
2002	26.17	2003	26.65	2004	22.50	2005	19.12
2006	15.48	2007	21.54	2008	34.96	2009	30.46
2010	30.17	2011	18.94	2012	60.20		

Srednja vrednost pretokov Qsr= 27.57 LOG Qsr= 3.2617
 St. deviacija za LOG S= 0.338159 KOEF Cv= 0.10246
 Koef. asimetrije za LOG Psi= -0.19222 KOEF Cs=-0.18545
 Koeficient skladanja po Gringortenu = 0.9200563

Pov. doba	5%conf. limit	pretok	95%conf. limit
2.00	0.00	26.38	0.00
2.50	31.77	28.71	26.12
5.00	38.88	34.78	31.71
10.00	45.48	39.94	36.09
20.00	51.75	44.65	39.92
25.00	53.72	46.10	41.08
40.00	57.80	49.06	43.43
50.00	59.73	50.44	44.51
100.00	65.61	54.61	47.74
200.00	71.42	58.64	50.82
500.00	79.02	63.83	54.72
1000.00	84.72	67.65	57.56
2000.00	90.40	71.41	60.32
5000.00	97.91	76.33	63.91
10000.00	103.68	80.04	66.57




Analiza visokih vod - Log Pearson

Podatki v racunu :

1954	81.00	1955	34.10	1957	54.60	1958	91.90
1959	100.00	1960	66.20	1961	131.00	1964	164.00
1965	82.20	1966	148.00	1967	51.80	1968	39.10
1969	66.20	1970	131.00	1971	26.70	1972	125.80
1973	136.00	1974	80.60	1975	111.00	1976	88.20
1977	86.50	1978	75.80	1979	156.00	1980	180.00
1981	61.80	1982	157.00	1983	70.40	1984	162.00
1985	70.60	1986	115.00	1987	82.80	1988	81.40
1989	135.00						

Srednja vrednost pretokov Qsr= 98.29 LOG Qsr= 4.4907
 St. deviacija za LOG S= 0.470536 KOEF Cv= 0.10318
 Koef. asimetrije za LOG Psi= -0.64423 KOEF Cs=-0.61456
 Koeficient skladanja po Gringortenu = 0.9016215

Pov. doba	5%conf. limit	pretok	95%conf. limit
2.00	0.00	93.77	0.00
2.50	128.28	105.05	87.28
5.00	160.20	133.49	115.25
10.00	191.05	156.33	134.42
20.00	218.89	175.82	149.93
25.00	227.28	181.55	154.41
40.00	244.17	192.91	163.14
50.00	251.85	198.00	167.01
100.00	274.36	212.71	178.06
200.00	295.05	225.98	187.87
500.00	320.04	241.71	199.34
1000.00	337.15	252.34	207.00
2000.00	353.19	262.17	214.03
5000.00	372.47	273.93	222.41
10000.00	384.32	281.06	227.43




Analiza visokih vod - Log Pearson

Podatki v racunu :

1953	126.00	1954	188.00	1955	68.70	1956	303.00
1957	116.00	1958	194.00	1959	173.00	1960	117.00
1961	160.00	1962	148.00	1963	133.00	1964	264.00
1965	141.00	1966	337.00	1967	102.00	1968	75.40
1969	107.00	1970	183.00	1971	45.40	1972	128.00
1973	224.00	1974	125.00	1975	118.00	1976	109.00
1977	147.00	1978	118.00	1979	267.00	1980	233.00
1981	122.00	1982	212.00	1983	112.00	1984	189.00
1985	111.00	1986	131.00	1987	145.00	1988	137.00
1989	198.00	1990	371.00	1991	105.00	1992	168.00
1993	148.00	1994	67.89	1995	105.33	1996	139.28
1997	83.18	1998	179.45	1999	97.07	2000	224.00
2001	114.15	2002	86.34	2003	90.78	2004	125.22
2005	188.92	2006	66.35	2007	135.76	2008	111.75
2009	109.45	2010	227.34	2011	66.74	2012	368.69

Srednja vrednost pretokov Qsr= 153.12 LOG Qsr= 4.9347
 St. deviacija za LOG S= 0.439194 KOEF Cv= 0.08826
 Koef. asimetrije za LOG Psi= 0.13505 KOEF Cs= 0.13165
 Koeficient skladanja po Gringortenu = 0.9149988

Pov. doba	5%conf. limit	pretok	95%conf. limit
2.00	0.00	137.66	0.00
2.50	141.33	153.95	168.50
5.00	181.35	200.57	225.67
10.00	218.56	245.55	283.32
20.00	254.98	291.07	343.98
25.00	266.73	306.01	364.29
40.00	291.61	338.04	408.52
50.00	303.57	353.60	430.30
100.00	341.28	403.35	501.10
200.00	380.17	455.57	577.17
500.00	433.76	528.95	686.73
1000.00	476.18	588.04	776.98
2000.00	519.95	649.88	873.16
5000.00	579.88	735.61	1008.95
10000.00	627.78	805.44	1122.09




Analiza visokih vod - Log Pearson

Podatki v racunu :

1970	16.70	1971	3.80	1972	10.30	1973	15.20
1974	8.75	1975	8.25	1976	7.28	1977	13.90
1978	6.08	1979	11.60	1980	12.40		

Srednja vrednost pretokov Qsr= 10.39 LOG Qsr= 2.2613
 St. deviacija za LOG S= 0.440063 KOEF Cv= 0.18555
 Koef. asimetrije za LOG Psi= -0.82100 KOEF Cs=-0.70452
 Koeficient skladanja po Gringortenu = 0.9017933

Pov. doba	5%conf. limit	pretok	95%conf. limit
2.00	0.00	10.18	0.00
2.50	16.48	11.30	8.16
5.00	19.76	13.98	11.13
10.00	23.47	15.99	12.78
20.00	26.79	17.61	14.00
25.00	27.79	18.08	14.33
40.00	29.74	18.96	14.96
50.00	30.62	19.35	15.23
100.00	33.12	20.43	15.96
200.00	35.32	21.36	16.58
500.00	37.86	22.39	17.26
1000.00	39.53	23.06	17.69
2000.00	41.00	23.63	18.06
5000.00	42.63	24.27	18.47
10000.00	43.72	24.68	18.73




Analiza visokih vod - Log Pearson

Podatki v racunu :

1955	5.90	1956	9.80	1957	10.60	1958	15.00
1959	15.30	1960	11.50	1961	18.60	1962	8.78
1963	7.70	1964	16.50	1965	8.74	1966	22.00
1967	4.85	1968	3.65	1969	10.90	1970	12.58
1971	3.77	1972	9.22	1973	8.94	1974	4.75
1975	9.24	1976	6.38	1977	7.39	1978	7.25
1979	10.10	1980	8.67				

Srednja vrednost pretokov Qsr= 9.93 LOG Qsr= 2.1968
 St. deviacija za LOG S= 0.458919 KOEF Cv= 0.20484
 Koef. asimetrije za LOG Psi= -0.15906 KOEF Cs=-0.14974
 Koeficient skladanja po Gringortenu = 0.9021845

Pov. doba	5%conf. limit	pretok	95%conf. limit
2.00	0.00	9.11	0.00
2.50	12.20	10.22	8.69
5.00	16.27	13.28	11.33
10.00	20.42	16.06	13.50
20.00	24.67	18.73	15.47
25.00	26.06	19.58	16.08
40.00	29.04	21.35	17.34
50.00	30.47	22.19	17.92
100.00	35.03	24.79	19.69
200.00	39.76	27.39	21.43
500.00	46.26	30.86	23.69
1000.00	51.39	33.50	25.39
2000.00	56.56	36.11	27.03
5000.00	63.91	39.73	29.27
10000.00	69.69	42.50	30.95




Analiza visokih vod - Log Pearson

Podatki v racunu :

1973	4.24	1974	2.72	1975	7.82	1976	2.03
1977	2.10	1978	3.00	1979	4.27	1980	5.47

Srednja vrednost pretokov	Qsr=	3.96	LOG Qsr=	1.2752
St. deviacija za LOG	S=	0.472528	KOEF Cv=	0.34663
Koef. asimetrije za LOG	Psi=	0.36781	KOEF Cs=	0.29490
Koeficient skladanja po Gringortenu = 0.8012526				

Pov. doba	5%conf. limit	pretok	95%conf. limit
2.00	0.00	3.48	0.00
2.50	3.15	3.92	5.10
5.00	4.02	5.27	8.32
10.00	4.87	6.66	12.26
20.00	5.71	8.15	17.27
25.00	5.98	8.66	19.15
40.00	6.56	9.78	23.61
50.00	6.84	10.34	25.98
100.00	7.72	12.18	34.53
200.00	8.65	14.22	45.23
500.00	9.95	17.24	63.37
1000.00	10.99	19.80	80.83
2000.00	12.09	22.61	102.13
5000.00	13.66	26.81	137.86
10000.00	14.90	30.30	171.26




Analiza visokih vod - Log Pearson

Podatki v racunu :

1957	5.72	1959	8.87	1960	13.50	1961	13.50
1962	10.00	1964	16.90	1965	13.10	1966	25.30
1967	8.60	1968	5.88	1969	10.30	1970	8.60
1971	18.60	1972	16.50	1973	12.70	1974	2.78
1975	19.20	1976	3.98	1977	4.44	1978	3.92
1979	4.79	1980	4.35				

Srednja vrednost pretokov Qsr= 10.52 LOG Qsr= 2.1815
 St. deviacija za LOG S= 0.621028 KOEF Cv= 0.27814
 Koef. asimetrije za LOG Psi= -0.19451 KOEF Cs=-0.18099
 Koeficient skladanja po Gringortenu = 0.8748162

Pov. doba	5%conf. limit	pretok	95%conf. limit
2.00	0.00	9.04	0.00
2.50	13.82	10.56	8.27
5.00	20.37	15.02	11.91
10.00	27.75	19.36	15.04
20.00	35.87	23.75	18.01
25.00	38.63	25.18	18.95
40.00	44.73	28.23	20.90
50.00	47.74	29.70	21.83
100.00	57.62	34.36	24.69
200.00	68.28	39.16	27.55
500.00	83.65	45.74	31.35
1000.00	96.23	50.91	34.25
2000.00	109.66	56.23	37.18
5000.00	128.61	63.50	41.10
10000.00	142.60	68.67	43.82




Analiza visokih vod - Log Pearson

Podatki v racunu :

1955	13.20	1956	75.60	1957	21.30	1958	33.60
1964	50.50	1965	33.40	1966	59.20	1967	30.20
1970	15.20	1971	11.30	1972	48.60	1973	53.80
1974	24.50	1975	48.10	1976	17.20	1977	16.20
1978	13.20	1979	48.70	1980	37.50	1981	38.70
1982	27.20	1983	27.90	1984	20.60	1985	20.20
1986	27.90	1987	26.00	1988	15.50	1989	28.40
1990	68.00	1991	36.90	1992	35.10	1993	27.40
1994	33.82	1995	22.85	1996	33.90	1997	26.74
1998	46.95	1999	17.50	2000	9.09	2001	13.47
2002	9.51	2003	7.55	2004	19.02	2005	19.02
2006	9.75	2007	35.96	2008	19.24	2009	20.06
2010	32.00	2012	111.34				

Srednja vrednost pretokov Qsr= 30.78 LOG Qsr= 3.2606
 St. deviacija za LOG S= 0.582007 KOEF Cv= 0.17670
 Koef. asimetrije za LOG Psi= 0.03719 KOEF Cs= 0.03607
 Koeficient skladanja po Gringortenu = 0.9391705

Pov. doba	5%conf. limit	pretok	95%conf. limit
2.00	0.00	25.97	0.00
2.50	26.37	30.10	34.65
5.00	36.71	42.49	50.58
10.00	46.63	55.08	67.88
20.00	56.63	68.31	87.03
25.00	59.91	72.74	93.62
40.00	66.94	82.39	108.26
50.00	70.34	87.14	115.59
100.00	81.23	102.56	139.96
200.00	92.64	119.11	166.93
500.00	108.59	142.80	206.82
1000.00	121.40	162.27	240.62
2000.00	134.79	182.98	277.44
5000.00	154.05	213.30	332.73
10000.00	169.00	237.37	377.92




Analiza visokih vod - Log Pearson

Podatki v racunu :

1957	53.20	1958	76.50	1959	66.10	1965	99.00
1966	155.00	1967	61.60	1968	48.10	1969	62.80
1970	118.00	1971	20.20	1972	67.50	1973	124.00
1974	61.70	1975	56.90	1976	59.30	1977	58.70
1978	46.60	1979	135.00	1980	126.00	1981	37.50
1982	147.00	1983	45.20	1984	87.80	1985	48.10
1986	65.50	1987	73.00	1988	58.10	1989	86.60
1990	189.00	1991	70.20	1992	99.90	1993	70.80
1994	51.53	1995	58.99	1996	107.68	1997	41.04
1998	140.02	1999	55.25	2000	69.20	2001	47.27
2002	31.42	2003	48.84	2004	87.69	2005	103.37
2006	35.97	2007	122.11	2008	32.63	2009	57.25
2010	130.22	2011	16.41	2012	230.14		

Srednja vrednost pretokov Qsr= 79.25 LOG Qsr= 4.2362
 St. deviacija za LOG S= 0.534198 KOEF Cv= 0.12486
 Koef. asimetrije za LOG Psi= -0.15974 KOEF Cs=-0.15500
 Koeficient skladanja po Gringortenu = 0.9046422

Pov. doba	5%conf. limit	pretok	95%conf. limit
2.00	0.00	70.14	0.00
2.50	92.58	80.21	70.08
5.00	127.63	108.79	95.10
10.00	163.59	135.78	117.00
20.00	200.75	162.38	137.72
25.00	213.01	170.96	144.28
40.00	239.40	189.09	157.94
50.00	252.18	197.75	164.39
100.00	293.08	224.94	184.34
200.00	335.79	252.66	204.30
500.00	395.13	290.20	230.81
1000.00	442.20	319.29	251.00
2000.00	491.42	349.17	271.45
5000.00	559.23	389.62	298.82
10000.00	606.02	417.01	317.08




Analiza visokih vod - Log Pearson

Podatki v racunu :

1973	29.30	1974	10.40	1975	14.00	1976	5.59
1977	17.60	1978	12.80	1979	10.80	1980	36.60

Srednja vrednost pretokov Qsr= 17.14 LOG Qsr= 2.6845
 St. deviacija za LOG S= 0.598969 KOEF Cv= 0.20871
 Koef. asimetrije za LOG Psi= 0.12457 KOEF Cs= 0.09987
 Koeficient skladanja po Gringortenu = 0.8468002

Pov. doba	5%conf. limit	pretok	95%conf. limit
2.00	0.00	14.47	0.00
2.50	12.09	16.85	25.13
5.00	17.00	24.16	43.61
10.00	21.53	31.81	68.08
20.00	25.93	40.07	100.19
25.00	27.35	42.88	112.38
40.00	30.35	49.08	141.51
50.00	31.80	52.16	157.09
100.00	36.36	62.34	213.65
200.00	41.10	73.50	284.35
500.00	47.67	89.95	404.40
1000.00	52.91	103.78	519.38
2000.00	58.39	118.91	659.45
5000.00	65.72	139.88	876.29
10000.00	71.82	158.46	1092.41



Analiza visokih vod - Log Pearson

Podatki v racunu :

1969	28.10	1970	23.50	1971	8.38	1972	20.40
1973	34.90	1974	16.50	1975	25.90	1976	16.00
1977	17.00	1978	20.80	1979	32.80	1980	48.70
1989	49.60	1990	70.80	1991	25.10	1992	44.00
1993	26.40	1994	27.65	1995	50.55	1996	48.11
1997	15.14	1998	67.26	1999	16.38	2000	39.80
2001	22.86	2002	10.33	2003	43.91	2004	34.93
2005	49.69	2006	11.18	2007	42.32	2008	16.75
2009	30.86	2010	70.72	2011	12.08	2012	92.46

Srednja vrednost pretokov Qsr= 33.66 LOG Qsr= 3.3505
 St. deviacija za LOG S= 0.595024 KOEF Cv= 0.17511
 Koef. asimetrije za LOG Psi= -0.09086 KOEF Cs=-0.08703
 Koeficient skladanja po Gringortenu = 0.8998063

Pov. doba	5%conf. limit	pretok	95%conf. limit
2.00	0.00	28.77	0.00
2.50	40.23	33.43	28.14
5.00	58.56	47.17	39.56
10.00	78.53	60.76	49.97
20.00	100.31	74.71	60.11
25.00	107.73	79.31	63.38
40.00	124.07	89.20	70.28
50.00	132.17	94.00	73.58
100.00	158.79	109.38	83.94
200.00	187.68	125.50	94.53
500.00	229.62	148.05	108.96
1000.00	264.30	166.08	120.23
2000.00	301.65	184.99	131.84
5000.00	354.27	210.94	147.50
10000.00	399.06	232.31	160.06

